

OKO



OFF ROAD GRADE

APPLICATION CHART / TABLEAU DES DOSES D'APPLICATION / TABLA DE APLICACION
TABELLA DI APPLICAZIONE / QUADRO DE APLICACO

THE ORIGINAL
TYRE SEALANT



TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	OKO MLS	TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	OKO MLS	TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	OKO MLS
4 INCH RIMS			6 INCH RIMS			8 INCH RIMS		
200x50	4.0	50	3.50-6	6.0	150	4.80-8	8.0	250
9x3.50-4	4.0	100	3.5-6	6.0	150	4.8-8	8.0	250
2.5-4	4.0	100	14x8.00-6	6.0	300	210/60-8	8.0	400
2.80-4	4.0	100	14x6.00-6	6.0	250	180/70-8	8.0	350
2.8-4	4.0	100	4-6	6.0	150	180/70R8	8.0	350
3-4	4.0	100	14x4.00-6	6.0	150	18x11.00-8	8.0	500
3.00-4	4.0	100	4.00-6	6.0	150	18x9.50-8	8.0	450
260x85	4.0	100	160/65-6	6.0	250	18x9.00-8	8.0	450
3.40-4	4.0	100	4.1-6	6.0	150	18x8.50-8	8.0	400
9/3.50-4	4.0	250	15x6.00-6	6.0	250	18x7.00-8	8.0	350
11x7.00-4	4.0	200	5.30-6	6.0	250	18x6.50-8	8.0	300
4.1/3.50-4	4.0	150	5.3-6	6.0	250	18x6.00-8	8.0	300
11x4.00-4	4.0	150	6.90/6.00-6	6.0	350	18x5.70-8	8.0	300
3.5-4	4.0	100	6.9-6	6.0	350	5.70/5.00-8	8.0	300
4.00-4	4.0	150	8-6	6.0	500	5-8	8.0	250
4.10-4	4.0	150	7 INCH RIMS			18x5.00-8	8.0	250
4.1-4	4.0	150	4.50-7	7.0	200	5.00-8	8.0	250
4.8-4	4.0	200	4.80-7	7.0	200	18.5x9.50-8	8.0	450
5 INCH RIMS			18x7.00-7	7.0	350	18.5x8.50-8	8.0	400
10.00x4.50-5	5.0	150	8 INCH RIMS			19x7.00-8	8.0	350
10.5x5.00-5	5.0	150	2.25-8	8.0	100	5.70-8	8.0	300
11x7.50-5	5.0	200	4.00/2.50-8	8.0	150	20x12.00-8	8.0	650
11x7.00-5	5.0	200	2.5-8	8.0	100	20x11.00-8	8.0	600
11x6.00-5	5.0	200	5.00/3.00-8	8.0	200	20x10.00-8	8.0	550
11x4.50-5	5.0	150	4.00/3.00-8	8.0	150	20x8.00-8	8.0	450
11x4.00-5	5.0	150	3-8	8.0	150	20x7.00-8	8.0	400
11x3.50-5	5.0	100	5.00/3.25-8	8.0	200	6.00-8	8.0	350
3.40/3.00-5	5.0	100	4.00/3.25-8	8.0	150	20.5x10.00-8	8.0	550
3.4-5	5.0	100	15x6.00-8	8.0	250	20.5x8.00-8	8.0	450
4.1/3.50-5	5.0	150	15x4.50-8	8.0	200	20.5x7.00-8	8.0	400
4.10/3.50-5	5.0	150	3.50-8	8.0	150	21x12.00-8	8.0	650
3.50-5	5.0	100	3.5-8	8.0	150	21x11.00-8	8.0	600
3.5-5	5.0	100	125/75-8	8.0	200	21x10.00-8	8.0	550
13x4.00-5	5.0	150	4.80/3.75-8	8.0	200	21x7.00-8	8.0	400
4.1-5	5.0	150	16x7.50-8	8.0	300	22x11.00-8	8.0	650
18x6.5	5.0	300	16x6.50-8	8.0	300	22x9.00-8	8.0	550
5.5 INCH RIMS			16x6.00-8	8.0	250	22.50x10.00-8	8.0	600
14.5x4.5	5.5	200	16x6-8	8.0	250	22.5x10.00-8	8.0	600
6 INCH RIMS			16x5.50-8	8.0	250	25x12.00-8	8.0	800
12x8.00-6	6.0	250	5.00R8	8.0	250	9 INCH RIMS		
12x6.00-6	6.0	200	4.80/4.00-8	8.0	200	6.00/4.00-9	9.0	300
3-6	6.0	100	4-8	8.0	200	4.80/4.00-9	9.0	250
4.00/3.25-6	6.0	150	4.00-8	8.0	200	4-9	9.0	200
120/70-6	6.0	150	170/60-8	8.0	300	5.50/85-9	9.0	300
13x6.50-6	6.0	250	16.5x6.50-8	8.0	300	4.8-9	9.0	250
13x6.00-6	6.0	200	4.30-8	8.0	200	20x11.00-9	9.0	600
13x5.00-6	6.0	200	4.3-8	8.0	200	21x12.00-9	9.0	700
4.10/3.50-6	6.0	150	17x8.00-8	8.0	350	21x11.00-9	9.0	650
			5.70/4.50-8	8.0	250	21x9.00-9	9.0	500

CONTINUED >>>

EN. CAN'T FIND YOUR TYRE SIZE?
FR. VOUS NE TROUVEZ PAS LA TAILLE DE VOTRE PNEU?
DE. REIFENGRÖßE NICHT AUFGEFÜHRT?
NL. KUN JE JE BANDENMAAT NIET VINDEN?

ES. ¿NO ENCUENTRA EL TAMAÑO DE SU RUEDA?
PT. NÃO CONSEGUE ENCONTRAR O SEU TAMANHO DE PNEU?
IT. NON RIESCI A TROVARE LE DIMENSIONI DELLO PNEUMATICO?
PL. NIE MOŻESZ ZNALEŹĆ SWOJEGO ROZMIARU OPONY?



➔ **W: WWW.OKO.COM/CALC-OTR** ➔

OKO



OFF ROAD GRADE

APPLICATION CHART / TABLEAU DES DOSES D'APPLICATION / TABLA DE APLICACION
TABELLA DI APPLICAZIONE / QUADRO DE APLICACO

THE ORIGINAL
TYRE SEALANT



TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	OKO MLS	TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	OKO MLS	TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	OKO MLS
9 INCH RIMS			10.5 INCH RIMS			12 INCH RIMS		
21x8.00-9	9.0	450	23.00-10.5	10.5	4,200	6.9-12	12.0	600
6-9	9.0	350	11 INCH RIMS			26.00x12.00-12	12.0	1,050
6.00-9	9.0	350	23x8.00-11	11.0	600	26x12.00-12	12.0	1,050
21.20x7.00-9	9.0	400	23.5x8.00-11	11.0	600	26x11.00-12	12.0	950
21.8x6.00-9	9.0	400	24x10.00-11	11.0	750	7-12	12.0	650
21.9x7.00-9	9.0	450	24x9.00-11	11.0	700	7.00-12	12.0	650
22x12.00-9	9.0	700	12 INCH RIMS			11.00/65-12	12.0	1,000
6.90-9	9.0	450	3.00-12	12.0	200	27.00x10.50-12	12.0	950
6.9-9	9.0	450	3.5-12	12.0	250	10.00/75-12	12.0	900
23x10.00-9	9.0	650	5R12	12.0	350	27.00x10.00-12	12.0	900
25x13.00-9	9.0	900	4-12	12.0	300	27x10.00-12	12.0	900
25x12.00-9	9.0	850	4.00-12	12.0	300	27.00x8.50-12	12.0	800
25x11.00-9	9.0	750	4.50-12	12.0	350	7.50-12	12.0	700
10 INCH RIMS			4.5-12	12.0	350	10.0/80-12	12.0	950
195/50B10	10.0	400	4.8-12	12.0	350	8-12	12.0	800
200/50-10	10.0	400	155/80-12	12.0	450	8.30-12	12.0	850
18x11.00-10	10.0	550	22.00x8.00-12	12.0	600	8.5-12	12.0	850
18x9.50-10	10.0	500	22x7.50-12	12.0	550	32.00x10.5-12	12.0	1,150
18x8.00-10	10.0	400	7.00/5.00-12	12.0	550	10-12	12.0	1,100
4-10	10.0	250	5-12	12.0	400	10.00-12	12.0	1,100
4.00-10	10.0	250	5.00-12	12.0	400	12-12	12.0	1,500
205/50-10	10.0	400	220/60-12	12.0	650	13 INCH RIMS		
4.50-10	10.0	250	6.5/80-12	12.0	500	155/80-13	13.0	550
20x12.00-10	10.0	700	5.30-12	12.0	450	23x5.00	13.0	450
20x11.00-10	10.0	650	5.3-12	12.0	450	6.50/80-13	13.0	600
20x10.00-10	10.0	550	170.00/80-12	12.0	550	175/80-13	13.0	650
20x8.00-10	10.0	450	210.00/65-12	12.0	650	185/80-13	13.0	700
7.50/5.00-10	10.0	450	23.00x12.00-12	12.0	900	6.00-13	13.0	600
6.50/5.00-10	10.0	400	23.00x10.50-12	12.0	800	6.5-13	13.0	650
20x5.00-10	10.0	300	23x10.50-12	12.0	800	14 INCH RIMS		
5.00-10	10.0	300	23.00x10.00-12	12.0	800	4-14	14.0	400
205/65-10	10.0	500	23.00x9.50-12	12.0	750	4.5-14	14.0	450
20.5x8.00-10	10.0	500	23.00x9.00-12	12.0	700	5-14	14.0	500
7.50/5.50-10	10.0	450	23x9.00-12	12.0	700	170/80-14	14.0	700
21.x7.00-10	10.0	450	23.00x8.50-12	12.0	650	25x8.50-14	14.0	900
21x7.00-10	10.0	450	23x8.50-12	12.0	650	26x11.00-14	14.0	1,150
6.50/5.50-10	10.0	400	23x8.5-12	12.0	650	26x9.00-14	14.0	1,000
7.00/85-10	10.0	450	23.00x8.00-12	12.0	650	6-14	14.0	650
22x11.00-10	10.0	700	23x8.00-12	12.0	650	6.00-14	14.0	650
22x10.00-10	10.0	650	23x6.00-12	12.0	500	205/75-14	14.0	900
22x8.00-10	10.0	500	7.00R12	12.0	550	215/75-14	14.0	950
23x9.00-10	10.0	600	5.70-12	12.0	450	165-14	14.0	750
23x8.5-10	10.0	600	5.7-12	12.0	450	7-14	14.0	850
6.50-10	10.0	450	23.5x8.50-12	12.0	700	185-14	14.0	900
6.5-10	10.0	450	24.00x13.00-12	12.0	1,000	7.50-14	14.0	900
23.8x6.50-10	10.0	450	24x13.00-12	12.0	1,000	7.60-14	14.0	950
24x11.00-10	10.0	750	24x13-12	12.0	1,000	195-14	14.0	950
7.50-10	10.0	550	24x12.00-12	12.0	950	205-14	14.0	1,050
7.5-10	10.0	550	24x12-12	12.0	950	8.50-14	14.0	1,100
27x15.00-10	10.0	1,150	6-12	12.0	500	8.5-14	14.0	1,100
27x9.00-10	10.0	750	6.00-12	12.0	500	9.50-14	14.0	1,300
9-10	10.0	750	25x10.00-12	12.0	850	9.5-14	14.0	1,300
9.00-10	10.0	750	25x8.00-12	12.0	700	11-14	14.0	1,600
15.00-10	10.0	1,850	6.5-12	12.0	550	CONTINUED >>>		
20.50-10	10.0	3,300						
23.8-10	10.0	4,400						

OKO

OFF ROAD GRADE

APPLICATION CHART / TABLEAU DES DOSES D'APPLICATION / TABLA DE APLICACION
TABELLA DI APPLICAZIONE / QUADRO DE APLICACO

THE ORIGINAL
TYRE SEALANT



TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	OKO MLS	TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	OKO MLS	TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	OKO MLS
14 INCH RIMS			15 INCH RIMS			15 INCH RIMS		
11.00-14	14.0	1,600	205/85-15	15.0	1,100	10.5-15	15.0	1,700
13.00-14	14.0	2,100	250/70-15	15.0	1,300	11-15	15.0	1,800
14.5 INCH RIMS			250/70R15	15.0	1,300	11.00-15	15.0	1,800
200/60-14.5	14.5	850	235/75-15	15.0	1,250	365/80-15	15.0	2,200
250/65-14.5	14.5	1,150	29x12.50-15	15.0	1,550	38x16.00-15	15.0	2,300
15 INCH RIMS			29x10.00-15	15.0	1,300	11.5-15	15.0	1,950
4-15	15.0	450	29x9.50-15	15.0	1,250	12-15	15.0	2,100
4.00-15	15.0	450	29x8.00-15	15.0	1,100	12.00-15	15.0	2,100
4.40-15	15.0	500	7-15	15.0	950	12.50-15	15.0	2,200
185/65-15	15.0	850	7.00-15	15.0	950	12.5-15	15.0	2,200
205/60R15	15.0	950	10.00/75-15	15.0	1,350	13.5-15	15.0	2,400
25x12.50-15	15.0	1,300	30x9.50-15	15.0	1,300	14.50-15	15.0	2,600
25x10.50-15	15.0	1,200	7.50-15	15.0	1,050	21.50-15	15.0	4,200
25x7.50-15	15.0	900	7.60-15	15.0	1,100	15.3 INCH RIMS		
5-15	15.0	600	7.6-15	15.0	1,100	260/70-15.3	15.3	1,400
5.00-15	15.0	600	7.75-15	15.0	1,100	10.0/75-15.3	15.3	1,400
6.5/80-15	15.0	800	31.00x15.50-15	15.0	1,850	10.00/75-15.3	15.3	1,400
6.50/80-15	15.0	800	31x15.50-15	15.0	1,850	10.00/85-15.3	15.3	1,500
7.50/5.50-15	15.0	900	31x15.00-15	15.0	1,800	11.5/80-15.3	15.3	1,750
7.00/5.50-15	15.0	850	31.00x13.50-15	15.0	1,700	11.50/80-15.3	15.3	1,750
5.50-15	15.0	650	31x13.50-15	15.0	1,700	300/80-15.3	15.3	1,800
5.5-15	15.0	650	31.00x12.50-15	15.0	1,650	12.5/80-15.3	15.3	1,950
5.70-15	15.0	700	31x12.50-15	15.0	1,650	10-15.3	15.3	1,650
5.7-15	15.0	700	31x12.5-15	15.0	1,650	15.5 INCH RIMS		
175/85-15	15.0	850	31x12.5-15	15.0	1,650	280/60-15.5	15.5	1,450
5.90-15	15.0	750	31x11.50-15	15.0	1,550	31x15.00-15.5	15.5	1,900
5.9-15	15.0	750	31x10.50-15	15.0	1,450	400/60-15.5	15.5	2,200
27x13-15	15.0	1,450	8.25-15	15.0	1,200	500/55-15.5	15.5	2,600
27x10.50-15	15.0	1,300	32.00x15.00-15	15.0	1,900	16 INCH RIMS		
27x9.50-15	15.0	1,200	32x15.00-15	15.0	1,900	4.00-16	16.0	500
27x8.50-15	15.0	1,050	32.00x12.00-15	15.0	1,650	4.50-16	16.0	600
7.50R15	15.0	950	32.00x12.00-15	15.0	1,650	6.00R16	16.0	800
7.5L-15	15.0	950	32x11.50-15	15.0	1,600	5.00-16	16.0	650
6.00-15	15.0	750	32x9.50-15	15.0	1,400	5.50-16	16.0	750
205/75-15	15.0	1,050	8.5-15	15.0	1,250	200/70R16	16.0	1,100
215/75-15	15.0	1,100	8.55-15	15.0	1,300	6.00-16	16.0	850
6.4-15	15.0	850	315/70R15	15.0	1,700	6.50-16	16.0	1,000
28x13.00-15	15.0	1,500	33x15.50-15	15.0	1,950	6.60-16	16.0	1,000
28x12.50-15	15.0	1,500	33.00x12.50-15	15.0	1,750	240/70R16	16.0	1,400
28x12.00-15	15.0	1,450	33x12.50-15	15.0	1,750	225/75-16	16.0	1,350
28x9.00-15	15.0	1,150	33x12.00-15	15.0	1,700	315/55R16	16.0	1,700
28x8.5-15	15.0	1,100	9-15	15.0	1,400	10.5/65-16	16.0	1,550
7.00/6.50-15	15.0	900	355/65-15	15.0	1,900	7.00-16	16.0	1,100
8.25R15	15.0	1,100	355/65R15	15.0	1,900	13.0/55-16	16.0	1,800
240/70-15	15.0	1,250	9.5-15	15.0	1,500	260/70R16	16.0	1,550
225/75-15	15.0	1,150	35.00x15.00-15	15.0	2,100	215/85-16	16.0	1,350
225/75R15	15.0	1,150	35x15.00-15	15.0	2,100	7.20-16	16.0	1,150
6.70-15	15.0	900	35.00x11-15	15.0	1,700	CONTINUED >>>		
6.7-15	15.0	900	10-15	15.0	1,600			
			10.00-15	15.0	1,600			
			36x13.50-15	15.0	2,000			
			36x11.00-15	15.0	1,750			

EN. CAN'T FIND YOUR TYRE SIZE?
FR. VOUS NE TROUVEZ PAS LA TAILLE DE VOTRE PNEU?
DE. REIFENGRÖßE NICHT AUFGEFÜHRT?
NL. KUN JE JE BANDENMAAT NIET VINDEN?

ES. ¿NO ENCUENTRA EL TAMAÑO DE SU RUEDA?
PT. NÃO CONSEGUI ENCONTRAR O SEU TAMANHO DE PNEU?
IT. NON RIESCI A TROVARE LE DIMENSIONI DELLO PNEUMATICO?
PL. NIE MOŻESZ ZNALEŹĆ SWOJEGO ROZMIARU OPONY?



➔ **W: WWW.OKO.COM/CALC-OTR** ➔

OKO

OFF ROAD GRADE

APPLICATION CHART / TABLEAU DES DOSES D'APPLICATION / TABLA DE APLICACION
TABELLA DI APPLICAZIONE / QUADRO DE APLICACO

THE ORIGINAL
TYRE SEALANT



TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	OKO MLS	TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	OKO MLS	TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	OKO MLS
16 INCH RIMS			17 INCH RIMS			18 INCH RIMS		
245/75-16	16.0	1,500	7.50-17	17.0	1,400	325/70R18	18.0	2,400
340/55-16	16.0	1,850	380/55-17	17.0	2,300	12.0/75-18	18.0	2,300
7.50-16	16.0	1,200	15.0/55-17	17.0	2,300	315/80-18	18.0	2,500
225/85-16	16.0	1,400	15.00/55-17	17.0	2,300	12.5/80-18	18.0	2,500
11LR16	16.0	1,700	8.25-17	17.0	1,600	12.50/80-18	18.0	2,500
280/70-16	16.0	1,700	480/45-17	17.0	2,500	10-18	18.0	2,200
280/70R16	16.0	1,700	19.00/45-17	17.0	2,500	10.00-18	18.0	2,200
265/75-16	16.0	1,650	500/50-17	17.0	2,800	365/70-18	18.0	2,700
235/85-16	16.0	1,500	500/50R17	17.0	2,800	365/70R18	18.0	2,700
8-16	16.0	1,350	10-17	17.0	2,100	15.0/70-18	18.0	2,800
8.00-16	16.0	1,350	12-17	17.0	2,500	15.00/70-18	18.0	2,800
245/85-16	16.0	1,600	17.5 INCH RIMS			10.50-18	18.0	2,300
8.25-16	16.0	1,400	240/55-17.5	17.5	1,500	10.5-18	18.0	2,300
8.30-16	16.0	1,400	205/65-17.5	17.5	1,350	335/80-18	18.0	2,600
255/85-16	16.0	1,650	225/65-17.5	17.5	1,500	335/80R18	18.0	2,600
9-16	16.0	1,550	255/60-17.5	17.5	1,650	340/80-18	18.0	2,700
9.00-16	16.0	1,550	225/70-17.5	17.5	1,550	340/80R18	18.0	2,700
14.0/65-16	16.0	2,100	215/75-17.5	17.5	1,500	11.00-18	18.0	2,500
9.50-16	16.0	1,700	8R17.5	17.5	1,450	400/70-18	18.0	2,900
13.0/75-16	16.0	2,100	225/75-17.5	17.5	1,600	400/70R18	18.0	2,900
10.00-16	16.0	1,800	235/75-17.5	17.5	1,650	405/70R18	18.0	2,900
11.00-16	16.0	2,100	7.00-17.5	17.5	1,300	14.50/80-18	18.0	2,900
11.20-16	16.0	2,100	7-17.5	17.5	1,300	12-18	18.0	2,700
12.40-16	16.0	2,400	255/70-17.5	17.5	1,800	12.50-18	18.0	2,800
12.50-16	16.0	2,400	8.00-17.5	17.5	1,600	12.5-18	18.0	2,800
13.50-16	16.0	2,600	8-17.5	17.5	1,600	12.0/12.5-18	18.0	2,800
13.60-16	16.0	2,600	8.50-17.5	17.5	1,700	12.00/12.50-18	18.0	2,800
16.1 INCH RIMS			9.00-17.5	17.5	1,850	13.00-18	18.0	2,900
35x19.00-16.1	16.1	2,500	36x16.00-17.5	17.5	2,600	16.5/80-18	18.0	3,300
14.5/75-16.1	16.1	2,400	9.5-17.5	17.5	2,000	19 INCH RIMS		
38x20.00-16.1	16.1	2,700	10.00-17.5	17.5	2,100	4-19	19.0	650
38x19.00-16.1	16.1	2,700	10-17.5	17.5	2,100	4.00-19	19.0	650
11.00-16.1	16.1	2,100	11.00-17.5	17.5	2,400	4.5-19	19.0	750
13.50-16.1	16.1	2,600	14.00-17.5	17.5	3,150	5-19	19.0	900
13.60-16.1	16.1	2,700	14-17.5	17.5	3,150	6-19	19.0	1,200
14.00-16.1	16.1	2,700	18 INCH RIMS			6.00-19	19.0	1,200
16.50-16.1	16.1	3,300	4-18	18.0	600	7-19	19.0	1,500
18.40-16.1	16.1	3,750	4.00-18	18.0	600	8-19	19.0	1,750
21.50-16.1	16.1	4,400	6.00-18	18.0	1,100	19R19	19.0	3,900
16.5 INCH RIMS			7-18	18.0	1,350	19.5 INCH RIMS		
31x12.00-16.5	16.5	1,850	7.00-18	18.0	1,350	225/70-19.5	19.5	1,800
31x10.50-16.5	16.5	1,700	7.50-18	18.0	1,500	33x16.00-19.5	19.5	2,500
33x15.50-16.5	16.5	2,200	7.5-18	18.0	1,500	245/70-19.5	19.5	1,950
33x15.00-16.5	16.5	2,200	280/70R18	18.0	2,100	7.00-19.5	19.5	1,550
33x12.50-16.5	16.5	2,000	250/80-18	18.0	1,900	245/75-19.5	19.5	2,000
8.75-16.5	16.5	1,600	8-18	18.0	1,650	265/70-19.5	19.5	2,100
9.00-16.5	16.5	1,700	11.50/70-18	18.0	2,200	265/75-19.5	19.5	2,200
35x14.50-16.5	16.5	2,300	8.25-18	18.0	1,700	285/70-19.5	19.5	2,300
10.00-16.5	16.5	1,900	10.5/80-18	18.0	2,100	8.00-19.5	19.5	1,850
10-16.5	16.5	1,900	10.5/80R18	18.0	2,100	8-19.5	19.5	1,850
12.00-16.5	16.5	2,400	10.50/80-18	18.0	2,100	305/70-19.5	19.5	2,500
12-16.5	16.5	2,400	13.0/65-18	18.0	2,300	285/75-19.5	19.5	2,400
17 INCH RIMS			13.00/65-18	18.0	2,300	435/50-19.5	19.5	2,900
7.00-17	17.0	1,250	15.5/55R18	18.0	2,500	9.00-19.5	19.5	2,100
			340/65R18	18.0	2,400	CONTINUED >>>		

OKO



OFF ROAD GRADE

APPLICATION CHART / TABLEAU DES DOSES D'APPLICATION / TABLA DE APLICACION
TABELLA DI APPLICAZIONE / QUADRO DE APLICACAO

THE ORIGINAL
TYRE SEALANT



TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	OKO MLS	TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	LITRES	TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	LITRES
19.5 INCH RIMS			20 INCH RIMS			20 INCH RIMS		
305/75-19.5	19.5	2,500	11.2R20	20.0	2.5	13.00-20	20.0	3.3
9.50-19.5	19.5	2,300	38x14.00-20	20.0	2.8	13-20	20.0	3.3
9.5-19.5	19.5	2,300	9-20	20.0	2.2	395/85-20	20.0	3.6
445/55-19.5	19.5	3,150	9.00-20	20.0	2.2	395/85R20	20.0	3.6
385/65/19.5	19.5	2,900	280/85R20	20.0	2.5	47x25.00-20	20.0	4.2
10-19.5	19.5	2,400	9.50-20	20.0	2.3	48x31.00-20	20.0	4.6
40x19.00-19.5	19.5	3,300	9.5-20	20.0	2.3	48x26.5-20	20.0	4.4
445/65/19.5	19.5	3,300	12.00R20	20.0	2.7	48x25.00-20	20.0	4.4
445/65-19.5	19.5	3,300	360/70R20	20.0	2.9	20.00/70-20	20.0	4.05
18R19.5	19.5	3,900	12.5R20	20.0	2.8	14.50-20	20.0	3.75
15.00-19.5	19.5	3,750	10-20	20.0	2.5	14.5-20	20.0	3.75
15-19.5	19.5	3,750	10.00-20	20.0	2.5	50x20.00-20	20.0	4.2
19.5R19.5	19.5	4,200	10.30-20	20.0	2.6	15-20	20.0	3.75
16.50-19.5	19.5	4,050	380/70-20	20.0	3.15	16.00-20	20.0	4.05
16.5-19.5	19.5	4,050	41x14.00-20	20.0	3	21.00/80-20	20.0	4.6
18.00-19.5	19.5	4,400	10.50-20	20.0	2.6	17.50-20	20.0	4.4
18-19.5	19.5	4,400	10.5-20	20.0	2.6	20.00-20	20.0	5
19.50-19.5	19.5	4,800	10.00/10.50-20	20.0	2.5	20.5 INCH RIMS		
19.5-19.5	19.5	4,800	335/80R20	20.0	2.9	24.00-20.5	20.5	6.25
20 INCH RIMS			340/80-20	20.0	3	21 INCH RIMS		
		LITRES	320/85R20	20.0	2.9	5.00-21	21.0	1.05
8.25/5.50-20	20.0	1.65	500/55-20	20.0	3.45	6-21	21.0	1.35
6-20	20.0	1.3	42x25.00-20	20.0	3.75	6.00-21	21.0	1.35
10.00/6.50-20	20.0	2.1	11.00-20	20.0	2.8	12-21	21.0	3.15
9.00/6.50-20	20.0	1.9	400/70/20	20.0	3.3	12.00-21	21.0	3.15
6.50-20	20.0	1.45	400/70-20	20.0	3.3	14-21	21.0	3.75
6.5-20	20.0	1.45	400/70R20	20.0	3.3	16.00-21	21.0	4.2
7-20	20.0	1.6	405/70-20	20.0	3.3	16-21	21.0	4.2
7.00-20	20.0	1.6	405/70R20	20.0	3.3	18-21	21.0	4.8
225/80-20	20.0	1.95	16.0/70-20	20.0	3.3	21.00-21	21.0	5.5
9.00R20	20.0	2	16.00/70-20	20.0	3.3	23.00-21	21.0	6.25
7.25-20	20.0	1.65	16/70-20	20.0	3.3	23-21	21.0	6.25
7.50-20	20.0	1.75	16/70R20	20.0	3.3	24.00-21	21.0	6.5
7.5-20	20.0	1.75	11.20-20	20.0	2.8	27.25-21	21.0	7.25
9.50R20	20.0	2.1	11.2-20	20.0	2.8	22 INCH RIMS		
280/70-20	20.0	2.3	380/75R20	20.0	3.3	7.50-22	22.0	1.95
280/70R20	20.0	2.3	17.5/65-20	20.0	3.45	8.50-22	22.0	2.3
10.00/8.00-20	20.0	2.2	365/80-20	20.0	3.15	9.50-22	22.0	2.6
8-20	20.0	1.9	365/80R20	20.0	3.15	10-22	22.0	2.8
8.00-20	20.0	1.9	11.50-20	20.0	2.9	10.00-22	22.0	2.8
260/80R20	20.0	2.3	14.5R20	20.0	3.3	11-22	22.0	3
8.25-20	20.0	1.95	460/65-20	20.0	3.6	11.00-22	22.0	3
300/70-20	20.0	2.5	44x18.00-20	20.0	3.6	12-22	22.0	3.3
300/70R20	20.0	2.5	44x18.-20	20.0	3.6	12.00-22	22.0	3.3
8.30-20	20.0	2	12.00-20	20.0	3			
8.3-20	20.0	2	365/85-20	20.0	3.3			
10.5R20	20.0	2.4	420/75R20	20.0	3.6			
275/80R20	20.0	2.4	12.50-20	20.0	3.15			
11.00R20	20.0	2.5	12.5-20	20.0	3.15			
320/70R20	20.0	2.6	455/70R20	20.0	3.6			
500/45-20	20.0	3.15	425/75R20	20.0	3.6			

CONTINUED >>>

EN. CAN'T FIND YOUR TYRE SIZE?
FR. VOUS NE TROUVEZ PAS LA TAILLE DE VOTRE PNEU?
DE. REIFENGRÖßE NICHT AUFGEFÜHRT?
NL. KUN JE JE BANDENMAAT NIET VINDEN?

ES. ¿NO ENCUENTRA EL TAMAÑO DE SU RUEDA?
PT. NÃO CONSEGUI ENCONTRAR O SEU TAMANHO DE PNEU?
IT. NON RIESCI A TROVARE LE DIMENSIONI DELLO PNEUMATICO?
PL. NIE MOŻESZ ZNALEŻĆ SWOJEGO ROZMIARU OPONY?



➔ **W: WWW.OKO.COM/CALC-OTR** ➔

OKO



OFF ROAD GRADE

APPLICATION CHART / TABLEAU DES DOSES D'APPLICATION / TABLA DE APLICACION
TABELLA DI APPLICAZIONE / QUADRO DE APLICACO

THE ORIGINAL
TYRE SEALANT



TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	LITRES	TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	LITRES	TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	LITRES
22.5 INCH RIMS			22.5 INCH RIMS			24 INCH RIMS		
225/60-22.5	22.5	2	650/50-22.5	22.5	4.8	12.00/10.00-24	24.0	3.3
205/70-22.5	22.5	1.95	650/50R22.5	22.5	4.8	11.20/10-24	24.0	3.3
295/60-22.5	22.5	2.6	550/60-22.5	22.5	4.6	10-24	24.0	3
255/70-22.5	22.5	2.4	600/55-22.5	22.5	4.6	10.00-24	24.0	3
245/75-22.5	22.5	2.4	13.00-22.5	22.5	3.75	380/70-24	24.0	3.75
265/70-22.5	22.5	2.5	560/60-22.5	22.5	4.6	380/70R24	24.0	3.75
235/80-22.5	22.5	2.4	560/60R22.5	22.5	4.6	320/85-24	24.0	3.6
315/60-22.5	22.5	2.8	750/45R22.5	22.5	5	320/85R24	24.0	3.6
275/70-22.5	22.5	2.6	700/50-22.5	22.5	5	420/65R24	24.0	4.05
265/75-22.5	22.5	2.6	700/50R22.5	22.5	5	13.6R24	24.0	3.75
8.00-22.5	22.5	2.2	14.00-22.5	22.5	4.05	12.4/11-24	24.0	3.6
8-22.5	22.5	2.2	18.0R22.5	22.5	4.6	11-24	24.0	3.3
255/80-22.5	22.5	2.6	18R22.5	22.5	4.6	11.00-24	24.0	3.3
295/70-22.5	22.5	2.8	580/65R22.5	22.5	5	400/70-24	24.0	3.9
425/50-22.5	22.5	3.3	15.00-22.5	22.5	4.2	405/70-24	24.0	4.05
400/55-22.5	22.5	3.3	15-22.5	22.5	4.2	405/70R24	24.0	4.05
275/80-22.5	22.5	2.8	15.5-22.5	22.5	4.4	11.20-24	24.0	3.45
315/70-22.5	22.5	3	16.00-22.5	22.5	4.6	11.2-24	24.0	3.45
295/75-22.5	22.5	2.9	16-22.5	22.5	4.6	14.00R24	24.0	3.75
445/50-22.5	22.5	3.45	16.5-22.5	22.5	4.8	11.25-24	24.0	3.45
9.00-22.5	22.5	2.5	18.00-22.5	22.5	5.25	440/65R24	24.0	4.2
9-22.5	22.5	2.5	18-22.5	22.5	5.25	340/85-24	24.0	3.75
305/75-22.5	22.5	3				340/85R24	24.0	3.75
41x18.00-22.5	22.5	3.6	23 INCH RIMS			11.40-24	24.0	3.45
295/80-22.5	22.5	3	23-23	23.0	6.75	11.50-24	24.0	3.45
600/40-22.5	22.5	4.05	23.5 INCH RIMS			11.5-24	24.0	3.45
550/45-22.5	22.5	3.9	23.00-23.5	23.5	6.75	420/70-24	24.0	4.2
550/45R22.5	22.5	3.9	24 INCH RIMS			420/70R24	24.0	4.2
620/40R22.5	22.5	4.2	255/70-24	24.0	2.6	13.6/12-24	24.0	3.9
455/55-22.5	22.5	3.75	7.20-24	24.0	2.1	12-24	24.0	3.6
385/65-22.5	22.5	3.45	7.2-24	24.0	2.1	12.00-24	24.0	3.6
560/45R22.5	22.5	4.05	7.50-24	24.0	2.2	440/70R24	24.0	4.4
315/80-22.5	22.5	3.15	7.5-24	24.0	2.2	17.5LR24	24.0	4.4
10.00-22.5	22.5	2.8	7.5-24	24.0	2.2	445/70R24	24.0	4.4
10-22.5	22.5	2.8	9.50R24	24.0	2.6	480/65-24	24.0	4.6
365/70-22.5	22.5	3.45	9.5R24	24.0	2.6	480/65R24	24.0	4.6
15.50/70-22.5	22.5	3.6	14.00/8.00-24	24.0	3.3	15.5/80-24	24.0	4.2
425/65-22.5	22.5	3.75	12.00/8.00-24	24.0	3	12.40-24	24.0	3.75
11.00-22.5	22.5	3.15	10.00R24	24.0	2.7	12.4-24	24.0	3.75
11-22.5	22.5	3.15	8.3/8-24	24.0	2.4	455/70R24	24.0	4.4
700/40-22.5	22.5	4.6	8.30-24	24.0	2.5	400/80-24	24.0	4.2
710/40-22.5	22.5	4.6	8.3-24	24.0	2.5	460/70-24	24.0	4.6
445/65-22.5	22.5	3.9	320/70-24	24.0	3.3	460/70R24	24.0	4.6
445/65R22.5	22.5	3.9	320/70R24	24.0	3.3	380/85-24	24.0	4.2
11.50-22.5	22.5	3.3	11.2R24	24.0	3.15	380/85R24	24.0	4.2
16.50/70-22.5	22.5	3.9	9.50/9-24	24.0	2.8	16.00R24	24.0	4.4
600/50-22.5	22.5	4.4	9-24	24.0	2.7	14.9/13-24	24.0	4.2
600/50R22.5	22.5	4.4	9.00-24	24.0	2.7	14.90/13.-24	24.0	4.2
500/60-22.5	22.5	4.2	280/85R24	24.0	3.15	13.00-24	24.0	3.9
500/60R22.5	22.5	4.2	320/75-24	24.0	3.3	13-24	24.0	3.9
12.00-22.5	22.5	3.45	9.50-24	24.0	2.9	16.50/80-24	24.0	4.4
12-22.5	22.5	3.45	9.5-24	24.0	2.9	480/70-24	24.0	4.8
620/50R22.5	22.5	4.6	12.00R24	24.0	3.3	480/70R24	24.0	4.8
12.50-22.5	22.5	3.6	360/70-24	24.0	3.6	16.90R24	24.0	4.6
12.5-22.5	22.5	3.6	360/70R24	24.0	3.6	16.9R24	24.0	4.6
710/45-22.5	22.5	4.8	14.00/10.00-24	24.0	3.6	17.00/80-24	24.0	4.6
710/45R22.5	22.5	4.8						

CONTINUED >>>

OKO



OFF ROAD GRADE

APPLICATION CHART / TABLEAU DES DOSES D'APPLICATION / TABLA DE APLICACION
TABELLA DI APPLICAZIONE / QUADRO DE APLICACAO

THE ORIGINAL
TYRE SEALANT



TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	LITRES	TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	LITRES	TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	LITRES
24 INCH RIMS			24.5 INCH RIMS			25 INCH RIMS		
13.60-24	24.0	4.2	305/75-24.5	24.5	3.3	66x44.00-25	25.0	8
13.6-24	24.0	4.2	355/75-24.5	24.5	3.75	66x43.00-25	25.0	8
495/70R24	24.0	4.8	11.00-24.5	24.5	3.45	20.50-25	25.0	6.5
19.5LR24	24.0	4.8	12.00-24.5	24.5	3.75	20.5-25	25.0	6.5
500/70-24	24.0	4.8	13.50-24.5	24.5	4.2	1050/50-25	25.0	8
500/70R24	24.0	4.8	13.5-24.5	24.5	4.2	23.00/90-25	25.0	6.75
540/65-24	24.0	5	13.56-24.5	24.5	4.2	755/70-25	25.0	7.5
540/65R24	24.0	5	15.00-24.5	24.5	4.6	67x34.00-25	25.0	7.75
440/80-24	24.0	4.6	18.00-24.5	24.5	5.5	21.00-25	25.0	6.75
440/80R24	24.0	4.6	25 INCH RIMS			26.5R25	25.0	7.25
17.5L-24	24.0	4.8	265/70-25	25.0	2.8	850/65-25	25.0	8
14.00-24	24.0	4.2	11.00-25	25.0	3.45	22.00-25	25.0	7
14-24	24.0	4.2	14.00R25	25.0	3.9	23.50-25	25.0	7.5
16.50/85-24	24.0	4.6	12-25	25.0	3.75	23.5-25	25.0	7.5
420/85R24	24.0	4.6	12.00-25	25.0	3.75	29.5R25	25.0	8
560/65-24	24.0	5.25	15.5R25	25.0	4.4	24.00-25	25.0	7.5
385/95R24	24.0	4.4	13.00-25	25.0	4.2	26.50-25	25.0	8.25
540/70-24	24.0	5.25	17.5R25	25.0	5	26.5-25	25.0	8.25
14.90-24	24.0	4.6	14.00-25	25.0	4.4	29.50-25	25.0	9.25
14.9-24	24.0	4.6	445/80-25	25.0	5	40.50/75-25	25.0	10.25
15.00-24	24.0	4.6	445/80R25	25.0	5	26 INCH RIMS		
15-24	24.0	4.6	550/65-25	25.0	5.25	14.90R26	26.0	4.4
15.5-24	24.0	4.8	22.00/65-25	25.0	5.5	14.9R26	26.0	4.4
16.00-24	24.0	4.8	385/95R25	25.0	4.6	12.40-26	26.0	4.2
16-24	24.0	4.8	18.00R25	25.0	5	12.4-26	26.0	4.2
16.50-24	24.0	5	54x37.00-25	25.0	6.5	480/70-26	26.0	5.25
16.5-24	24.0	5	600/65R25	25.0	5.75	480/70R26	26.0	5.25
16.90-24	24.0	5.25	15.50-25	25.0	5	16.90R26	26.0	5
16.9-24	24.0	5.25	15.5-25	25.0	5	16.9R26	26.0	5
17.50-24	24.0	5.25	800/50-25	25.0	6.5	13.60-26	26.0	4.4
17.5-24	24.0	5.25	16.00-25	25.0	5	13.6-26	26.0	4.4
18.00-24	24.0	5.5	25.00/65-25	25.0	6	54x31.00-26	26.0	6.25
18-24	24.0	5.5	20.5R25	25.0	5.75	420/85-26	26.0	5
18.30-24	24.0	5.5	525/80-25	25.0	5.75	420/85R26	26.0	5
18.40-24	24.0	5.5	525/80R25	25.0	5.75	18.40R26	26.0	5.5
18.4-24	24.0	5.5	650/65-25	25.0	6.25	18.4R26	26.0	5.5
19.40-24	24.0	6	650/65R25	25.0	6.25	14.90-26	26.0	5
19.4-24	24.0	6	445/95-25	25.0	5.5	14.9-26	26.0	5
19.50-24	24.0	6	445/95R25	25.0	5.5	18.4/15-26	26.0	5.5
19.5-24	24.0	6	17.50-25	25.0	5.5	15-26	26.0	5
20.00-24	24.0	6	17.5-25	25.0	5.5	480/80-26	26.0	5.5
21.00-24	24.0	6.5	18.00-25	25.0	5.75	57x31.00-26	26.0	6.5
21-24	24.0	6.5	61x18.00-25	25.0	5.75	580/70-26	26.0	6
22-24	24.0	6.75	705/65-25	25.0	6.75	750/55-26	26.0	6.75
24-24	24.0	7.25	23.5R25	25.0	6.5	16.90-26	26.0	5.5
24.5 INCH RIMS			505/95R25	25.0	6	16.9-26	26.0	5.5
285/75-24.5	24.5	3.15	750/65-25	25.0	7	VF620/70R26	26.0	6.5
275/80-24.5	24.5	3	750/65R25	25.0	7	18.00-26	26.0	6
295/75-24.5	24.5	3.15	705/70-25	25.0	7	18-26	26.0	6
285/80-24.5	24.5	3.15	525/95-25	25.0	6.25	CONTINUED >>>		

EN. CAN'T FIND YOUR TYRE SIZE?
FR. VOUS NE TROUVEZ PAS LA TAILLE DE VOTRE PNEU?
DE. REIFENGRÖßE NICHT AUFGEFÜHRT?
NL. KUN JE JE BANDENMAAT NIET VINDEN?

ES. ¿NO ENCUENTRA EL TAMAÑO DE SU RUEDA?
PT. NÃO CONSEGUE ENCONTRAR O SEU TAMANHO DE PNEU?
IT. NON RIESCI A TROVARE LE DIMENSIONI DELLO PNEUMATICO?
PL. NIE MOŻESZ ZNALEŻĆ SWOJEGO ROZMIARU OPONY?



➔ **W: WWW.OKO.COM/CALC-OTR** ➔

OKO

OFF ROAD GRADE

APPLICATION CHART / TABLEAU DES DOSES D'APPLICATION / TABLA DE APLICACION
TABELLA DI APPLICAZIONE / QUADRO DE APLICACO

THE ORIGINAL
TYRE SEALANT



TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	LITRES	TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	LITRES	TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	LITRES
26 INCH RIMS			28 INCH RIMS			30 INCH RIMS		
620/75-26	26.0	6.75	380/85-28	28.0	5	4-30	30.0	1.3
18.40-26	26.0	6	380/85R28	28.0	5	4.00-30	30.0	1.3
18.4-26	26.0	6	13-28	28.0	4.6	6-30	30.0	2.2
66x43.00-26	26.0	8.25	480/70-28	28.0	5.5	6.00-30	30.0	2.2
67x34.00-26	26.0	8	480/70R28	28.0	5.5	6.3-30	30.0	2.3
28L-26	26.0	8	16.9R28	28.0	5.25	7.20-30	30.0	2.7
23.10-26	26.0	7.5	13.60-28	28.0	4.8	7.2-30	30.0	2.7
23.1-26	26.0	7.5	13.6-28	28.0	4.8	9.50-30	30.0	3.6
23.50-26	26.0	7.75	540/65-28	28.0	6	9.5-30	30.0	3.6
24.00-26	26.0	8	540/65R28	28.0	6	420/70-30	30.0	5.25
28.00-26	26.0	9.25	440/80-28	28.0	5.5	420/70R30	30.0	5.25
28-26	26.0	9.25	440/80R28	28.0	5.5	14.90R30	30.0	5.25
28.1-26	26.0	9.25	16.9/14-28	28.0	5.5	380/85-30	30.0	5.25
26.5 INCH RIMS			16.90/14-28	28.0	5.5	380/85R30	30.0	5.25
600/55-26.5	26.5	5.75	14-28	28.0	5	480/70-30	30.0	6
600/55R26.5	26.5	5.75	16.5/85-28	28.0	5.5	480/70R30	30.0	6
750/45R26.5	26.5	6.25	16.50/85-28	28.0	5.5	16.90R30	30.0	5.75
620/55R26.5	26.5	5.75	420/85-28	28.0	5.5	540/65-30	30.0	6.5
700/50-26.5	26.5	6.25	420/85R28	28.0	5.5	540/65R30	30.0	6.5
710/50R26.5	26.5	6.25	14.90-28	28.0	5.25	16.9/14-30	30.0	5.75
650/55R26.5	26.5	6	14.9-28	28.0	5.25	420/85R30	30.0	5.75
800/45-26.5	26.5	6.5	15.00-28	28.0	5.25	520/70-30	30.0	6.5
800/45R26.5	26.5	6.5	15-28	28.0	5.25	520/70R30	30.0	6.5
650/65R26.5	26.5	6.5	600/65-28	28.0	6.5	18.4R30	30.0	6.25
28 INCH RIMS			600/65R28	28.0	6.5	420/90-30	30.0	6
8.30/8-28	28.0	2.9	540/75R28	28.0	6.5	14.9-30	30.0	5.75
8.30-28	28.0	2.9	580/70-28	28.0	6.5	480/80-30	30.0	6.5
8.3-28	28.0	2.9	600/70R28	28.0	6.75	460/85R30	30.0	6.25
11.20/78-28	28.0	3.6	16.90-28	28.0	6	480/85-30	30.0	6.5
320/70-28	28.0	3.9	16.9-28	28.0	6	600/70-30	30.0	7.25
320/70R28	28.0	3.9	17.00-28	28.0	6	600/70R30	30.0	7.25
11.2R28	28.0	3.6	17-28	28.0	6	21.00/80-30	30.0	7
280/85R28	28.0	3.6	18.40-28	28.0	6.5	16.90-30	30.0	6.5
9.5-28	28.0	3.3	18.4-28	28.0	6.5	16.9-30	30.0	6.5
12.40/78-28	28.0	3.9	21.00-28	28.0	7.5	17.00-30	30.0	6.5
12.4R28	28.0	4.05	29 INCH RIMS			17-30	30.0	6.5
360/70-28	28.0	4.2	24.00R29	29.0	7.75	620/75-30	30.0	7.75
360/70R28	28.0	4.2	30.00/65-29	29.0	8.5	18.40-30	30.0	7
380/70-28	28.0	4.6	775/65-29	29.0	8.5	18.4-30	30.0	7
380/70R28	28.0	4.6	800/65-29	29.0	8.75	67x34.00-30	30.0	8.75
13.60/78-28	28.0	4.4	21.00-29	29.0	7.75	67x30.00-30	30.0	8.5
320/85R28	28.0	4.2	21-29	29.0	7.75	21.00-30	30.0	8
13.60R28	28.0	4.4	26.50R29	29.0	8.5	21-30	30.0	8
11.20-28	28.0	3.9	875/65-29	29.0	9.5	23.10-30	30.0	8.75
11.2-28	28.0	3.9	29.50R29	29.0	9.25	23.1-30	30.0	8.75
11.25-28	28.0	4.05	24.00-29	29.0	8.75	30.5 INCH RIMS		
440/65R28	28.0	5	24-29	29.0	8.75	710/50R30.5	30.5	7.25
340/85R28	28.0	4.4	32.25R29	29.0	10.25	600/60R30.5	30.5	7
420/70-28	28.0	5	26.50-29	29.0	9.75	800/45R30.5	30.5	7.75
420/70R28	28.0	5	26.5-29	29.0	9.75	600/65-30.5	30.5	7.25
14.90/78-28	28.0	4.6	33.25R29	29.0	10.5	650/65R30.5	30.5	7.75
11.90-28	28.0	4.2	29.50-29	29.0	10.75	850/50R30.5	30.5	8.5
480/65-28	28.0	5.5	29.5-29	29.0	10.75	750/60R30.5	30.5	8.25
480/65R28	28.0	5.5	33.25-29	29.0	12			
12.4-28	28.0	4.4						

OKO

OFF ROAD GRADE

APPLICATION CHART / TABLEAU DES DOSES D'APPLICATION / TABLA DE APLICACION
TABELLA DI APPLICAZIONE / QUADRO DE APLICACAO

THE ORIGINAL
TYRE SEALANT



TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	LITRES	TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	LITRES	TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	LITRES		
32 INCH RIMS			33 INCH RIMS			35 INCH RIMS				
210/95R32	32.0	3.3	37.5-33	33.0	15.5	21.00-35	35.0	9.25		
8.30-32	32.0	3.3	33.5 INCH RIMS			21-35	35.0	9.25		
8.3-32	32.0	3.3	13.00-33.5			33.5	5.5	29.50R35	35.0	11.25
230/95R32	32.0	3.6	34 INCH RIMS			24.00-35	35.0	10.5		
9.50/9-32	32.0	3.75	320/85-34	34.0	5	24-35	35.0	10.5		
9.50-32	32.0	3.9	290/95-34	34.0	4.8	33.25R35	35.0	12.75		
9.5-32	32.0	3.9	11.20-34	34.0	4.8	29.50-35	35.0	13		
320/85R32	32.0	4.8	11.2-34	34.0	4.8	29.5-35	35.0	13		
12.4/11-32	32.0	4.8	420/70-34	34.0	6	33.25-35	35.0	14.5		
12.40-32	32.0	5	12.40-34	34.0	5.25	37.25-35	35.0	16.25		
12.4-32	32.0	5	380/85-34	34.0	6	36 INCH RIMS				
16.90-32	32.0	6.75	380/85R34	34.0	6	4-36	36.0	1.65		
68x50.00-32	32.0	10.25	385/85-34	34.0	6	6.5-36	36.0	2.9		
650/75-32	32.0	8.75	16.90/78-34	34.0	6.5	7.2-36	36.0	3.3		
900/55-32	32.0	9.75	480/70-34	34.0	6.75	210/95R36	36.0	3.75		
800/65-32	32.0	9.75	480/70R34	34.0	6.75	8.30-36	36.0	3.75		
800/65R32	32.0	9.75	420/80-34	34.0	6.5	8.3-36	36.0	3.75		
73x44.00-32	32.0	10.75	16.9R34	34.0	6.5	230/95R36	36.0	4.05		
900/60-32	32.0	10.25	540/65-34	34.0	7.25	9.50-36	36.0	4.4		
800/70R32	32.0	10.25	540/65R34	34.0	7.25	9.5-36	36.0	4.4		
IF800/70R32	32.0	10.25	14-34	34.0	6	13.60/78-36	36.0	5.75		
900/65-32	32.0	10.75	420/85-34	34.0	6.5	320/85-36	36.0	5.5		
24.50-32	32.0	9.75	420/85R34	34.0	6.5	320/85R36	36.0	5.5		
24.5-32	32.0	9.75	520/70-34	34.0	7.25	11.20-36	36.0	5.25		
30.00-32	32.0	12	520/70R34	34.0	7.25	11.2-36	36.0	5.25		
30-32	32.0	12	18.4R34	34.0	7	340/85R36	36.0	5.75		
30.50-32	32.0	12.25	14.90-34	34.0	6.5	12.40-36	36.0	5.75		
30.5-32	32.0	12.25	600/65R34	34.0	8	12.4-36	36.0	5.75		
33.50-32	32.0	13.5	460/85R34	34.0	7.25	13.60-36	36.0	6.25		
35.50-32	32.0	14.25	540/75-34	34.0	7.75	13.6-36	36.0	6.25		
33 INCH RIMS			480/85-34	34.0	7.5	13.90-36	36.0	6.25		
18.00R33	33.0	6.75	600/70R34	34.0	8.25	13.9-36	36.0	6.25		
21.00R33	33.0	7.75	20.80R34	34.0	8	14.90-36	36.0	6.75		
18.00-33	33.0	7.5	16.90-34	34.0	7.25	16.9-36	36.0	7.75		
18-33	33.0	7.5	16.9-34	34.0	7.25	18.00-36	36.0	8.25		
30.00/65R33	33.0	9.75	18.40-34	34.0	8	38 INCH RIMS				
27.00R33	33.0	9.75	18.4-34	34.0	8	4-38	38.0	1.75		
875/65R33	33.0	11	23.10R34	34.0	8.75	8.3-38	38.0	4.05		
35.00/65-33	33.0	11	18.50-34	34.0	8	9.5-38	38.0	4.6		
35/65-33	33.0	11	18.5-34	34.0	8	270/95R38	38.0	5		
35/65R33	33.0	11	650/75-34	34.0	9.25	320/85-38	38.0	5.75		
33.65R33	33.0	12	710/70-34	34.0	9.75	13.60R38	38.0	6		
27.00-33	33.0	11.25	20.80-34	34.0	9	13.6R38	38.0	6		
27-33	33.0	11.25	710/75-34	34.0	10	11.20-38	38.0	5.5		
37.50R33	33.0	13.5	23.10-34	34.0	10	11.2-38	38.0	5.5		
30.00-33	33.0	12.5	35 INCH RIMS			340/85R38	38.0	6		
30-33	33.0	12.5	21.00R35	35.0	8.25	400/75R38	38.0	6.75		
33.50-33	33.0	13.75	24.00R35	35.0	9.25	380/80-38	38.0	6.5		
33.5-33	33.0	13.75	CONTINUED >>>							
37.50-33	33.0	15.5								

EN. CAN'T FIND YOUR TYRE SIZE?
FR. VOUS NE TROUVEZ PAS LA TAILLE DE VOTRE PNEU?
DE. REIFENGRÖßE NICHT AUFGEFÜHRT?
NL. KUN JE JE BANDENMAAT NIET VINDEN?

ES. ¿NO ENCUENTRA EL TAMAÑO DE SU RUEDA?
PT. NÃO CONSEGUI ENCONTRAR O SEU TAMANHO DE PNEU?
IT. NON RIESCI A TROVARE LE DIMENSIONI DELLO PNEUMATICO?
PL. NIE MOŻESZ ZNALEŹĆ SWOJEGO ROZMIARU OPONY?



➔ **W: WWW.OKO.COM/CALC-OTR** ➔

OKO



OFF ROAD GRADE

APPLICATION CHART / TABLEAU DES DOSES D'APPLICATION / TABLA DE APLICACION
TABELLA DI APPLICAZIONE / QUADRO DE APLICACO

THE ORIGINAL
TYRE SEALANT



TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	LITRES	TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	LITRES	TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	LITRES
38 INCH RIMS			39 INCH RIMS			44 INCH RIMS		
15.5R38	38.0	6.75	900/50-39	39.0	11.75	9.5-44	44.0	5.25
12.40-38	38.0	6	40.00/65-39	39.0	15	45 INCH RIMS		
12.4-38	38.0	6	33.50R39	39.0	14.25	65.00/45-45	45.0	21.75
380/85R38	38.0	6.75	41.25/70-39	39.0	16	45.00/65-45	45.0	19.5
16.90/78-38	38.0	7.25	45.00/65-39	39.0	16.5	45/65R45	45.0	19.5
480/70-38	38.0	7.75	37.50R39	39.0	16	45-45	45.0	25.25
480/70R38	38.0	7.75	40.50/75-39	39.0	16.5	46 INCH RIMS		
16.90R38	38.0	7.25	33.50-39	39.0	16.25	300/95R46	46.0	6.75
16.9R38	38.0	7.25	33.5-39	39.0	16.25	320/90-46	46.0	7
13.60-38	38.0	6.5	37.50-39	39.0	18.25	340/85-46	46.0	7.25
13.6-38	38.0	6.5	37.5-39	39.0	18.25	14.90R46	46.0	8
540/65R38	38.0	8.25	40.00-39	39.0	19.5	12.4-46	46.0	7.25
16.9/14-38	38.0	7.5	40.5-39	39.0	19.75	380/85-46	46.0	8.25
14-38	38.0	6.75	43.50-39	39.0	21.25	420/80-46	46.0	8.75
420/85R38	38.0	7.5	40 INCH RIMS			380/90R46	46.0	8.25
520/70-38	38.0	8.25	7.2-40	40.0	3.6	VF380/90R46	46.0	8.25
520/70R38	38.0	8.25	42 INCH RIMS			13.60-46	46.0	8
18.40/78-38	38.0	8	8.3-42	42.0	4.4	18.40R46	46.0	9.75
18.4R38	38.0	8	230/95R42	42.0	4.8	14.9-46	46.0	8.75
14.90-38	38.0	7.25	9.50-42	42.0	5	480/80-46	46.0	10
14.9-38	38.0	7.25	9.5-42	42.0	5	480/80R46	46.0	10
18.4/15-38	38.0	8	320/80-42	42.0	6.25	500/85-46	46.0	10.5
480/80-38	38.0	8.25	320/90-42	42.0	6.5	620/70-46	46.0	12
600/65-38	38.0	9	12.40-42	42.0	6.5	520/85-46	46.0	11
600/65R38	38.0	9	12.4-42	42.0	6.5	520/85R46	46.0	11
460/85R38	38.0	8	18.40R42	42.0	8.75	18.40-46	46.0	10.75
15.50-38	38.0	7.5	480/80-42	42.0	9	48 INCH RIMS		
15.5-38	38.0	7.5	480/80R42	42.0	9	230/95-48	48.0	5.5
580/70-38	38.0	9.25	650/65-42	42.0	11	9.5-48	48.0	5.75
580/70R38	38.0	9.25	650/65R42	42.0	11	270/95R48	48.0	6.25
16-38	38.0	7.75	20.80R42	42.0	10	18.00R48	48.0	10
650/65-38	38.0	9.75	500/85-42	42.0	9.75	49 INCH RIMS		
650/65R38	38.0	9.75	VF710/60R42	42.0	11.5	18.00-49	49.0	11
20.80R38	38.0	9	16.9-42	42.0	9	21.00-49	49.0	13
500/85-38	38.0	8.75	620/70-42	42.0	10.75	21-49	49.0	13
VF710/60R38	38.0	10.25	620/70R42	42.0	10.75	24.00-49	49.0	14.75
16.90-38	38.0	8	520/85-42	42.0	10	24-49	49.0	14.75
16.9-38	38.0	8	520/85R42	42.0	10	31.00/80-49	49.0	17
520/85-38	38.0	9	900/50-42	42.0	12.75	27.00-49	49.0	16.5
520/85R38	38.0	9	900/50R42	42.0	12.75	27-49	49.0	16.5
18-38	38.0	8.75	18.40-42	42.0	9.75	50 INCH RIMS		
18.40-38	38.0	8.75	710/70-42	42.0	12.25	320/90-50	50.0	7.75
18.4-38	38.0	8.75	710/70R42	42.0	12.25	380/90-50	50.0	9
750/65-38	38.0	11	20.80-42	42.0	11	480/80-50	50.0	10.75
650/75-38	38.0	10.5	20.8-42	42.0	11	480/80R50	50.0	10.75
650/75R38	38.0	10.5	710/75R42	42.0	12.75	380/105-50	50.0	9.5
710/70-38	38.0	11	43 INCH RIMS			17-50	50.0	10.75
710/70R38	38.0	11	24.00-43	43.0	13	20-50	50.0	12.5
20.80-38	38.0	10	24-43	43.0	13			
20.8-38	38.0	10	44 INCH RIMS					
650/85-38	38.0	11.25	8.3-44	44.0	4.6			
650/85R38	38.0	11.25	230/95R44	44.0	5			
800/70-38	38.0	12.25						
800/70R38	38.0	12.25						
IF800/70R38	38.0	12.25						
850/80-38	38.0	14						

OKO

OFF ROAD GRADE

APPLICATION CHART / TABLEAU DES DOSES D'APPLICATION / TABLA DE APLICACION
 TABELLA DI APPLICAZIONE / QUADRO DE APLICACAO

THE ORIGINAL
TYRE SEALANT



TYRE SIZE TAILLE DU PNEU TAMANO DEL NEUMATICO DIM. PNEUMATICO TOMANHO DO PNEU	RIM SIZE JANTE LLANTA	LITRES
51 INCH RIMS		
24-51	51.0	15.25
27-51	51.0	17.25
37.50R51	51.0	21
30.00-51	51.0	19.25
50.00/65-51	51.0	24.5
33.00-51	51.0	21
33-51	51.0	21
36.00-51	51.0	23
36-51	51.0	23
37.50-51	51.0	24
37.5-51	51.0	24
50-51	51.0	31.75
55-51	51.0	35
65-51	51.0	41.25
320/90-54	54.0	8.25
12.40-54	54.0	8.5
320/105-54	54.0	8.75
380/90-54	54.0	9.75
27.00-56.5	56.5	19
27-56.5	56.5	19
30.00-56.5	56.5	21.25
30-56.5	56.5	21.25
37.00R57	57.0	23.5
44.00/80-57	57.0	27.5
37.00-57	57.0	26.25
50.00/80-57	57.0	31
40.00-57	57.0	28.5
40-57	57.0	28.5
44.00/95-57	57.0	30.25
55.00/80-57	57.0	34
50.00/90-57	57.0	33.25
49.50-57	57.0	35.25
33-59.5	59.5	24.5
36-59.5	59.5	26.75
39-59.5	59.5	29
53.00/63-63	63.0	32
55.00/80-63	63.0	37.75
58.00/80-63	63.0	39.75

EN. CAN'T FIND YOUR TYRE SIZE?
FR. VOUS NE TROUVEZ PAS LA TAILLE DE VOTRE PNEU?
DE. REIFENGROÖBE NICHT AUFGEFÜHRT?
NL. KUN JE JE BANDENMAAT NIET VINDEN?

ES. ¿NO ENCUENTRA EL TAMAÑO DE SU RUEDA?
PT. NÃO CONSEGUI ENCONTRAR O SEU TAMANHO DE PNEU?
IT. NON RIESCI A TROVARE LE DIMENSIONI DELLO PNEUMATICO?
PL. NIE MOŻESZ ZNALEŻĆ SWOJEGO ROZMIARU OPONY?

→ W: WWW.OKO.COM/CALC-OTR ←